

Chemistry

Data booklet

SL & HL, first assessment 2025

Constants, the periodic table, bond and thermodynamic data, spectra and indicator tables.

Provided in: Papers 1A, 1B and 2

Calculator: Scientific calculator, permitted in Papers 1A, 1B and 2

Contents

1. Some relevant equations	3
2. Physical constants	4
3. Metric (SI) multipliers	5
4. Unit conversions and standard conditions	6
6. Names of the elements	7
7. The periodic table	9
8. Melting points and boiling points of the elements at 101.325 kPa	10
9. First ionization energy, electron affinity and electronegativity of the elements	11
10. Atomic and ionic radii of the elements	12
11. Covalent or average covalent bond lengths	13
12. Bond enthalpies or average bond enthalpies at 298.15 K	14
13. Thermodynamic data (selected compounds)	15
14. Enthalpies of combustion	16
15. Colour wheel with wavelengths of the visible spectrum	17
16. Lattice enthalpies at 298.15 K (experimental values)	18
17. Triangular bonding diagram (van Arkel-Ketelaar triangle)	19
18. Acid-base indicators	20
19. Standard reduction potentials at 298.15 K	21
20. Infrared data	22
21. ^1H NMR data	23
22. Mass spectral fragments lost	24

1. Some relevant equations

- $c = f\lambda$
- $E = hf$
- $n = \frac{m}{M}$
- $n = CV$
- $PV = nRT$
- $\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$
- $Q = mc\Delta T$
- $\% \text{ atom economy} = \frac{\text{molar mass of desired product}}{\text{total molar mass of reactants}} \times 100$
- $\Delta H^\ominus = \Sigma (\Delta H_f^\ominus \text{ products}) - \Sigma (\Delta H_f^\ominus \text{ reactants})$
- $\Delta H^\ominus = \Sigma (\Delta H_c^\ominus \text{ reactants}) - \Sigma (\Delta H_c^\ominus \text{ products})$
- $\Delta G^\ominus = \Delta H^\ominus - T\Delta S^\ominus$
- $\Delta G = \Delta G^\ominus + RT \ln Q$
- $\Delta G^\ominus = -RT \ln K$
- $\Delta G^\ominus = -nFE^\ominus$
- $k = Ae^{\frac{-E_a}{RT}}$
- $\ln k = \frac{-E_a}{RT} + \ln A$
- $\text{pH} = -\log_{10} [\text{H}_3\text{O}^+]$
- $\text{pH} = -\log_{10} [\text{H}^+]$
- $K_w = [\text{H}^+] [\text{OH}^-]$
- $\text{pOH} = -\log_{10} [\text{OH}^-]$

2. Physical constants

Quantity	Symbol	Approximate value
Elementary charge	e	$1.602177 \times 10^{-19} \text{C}$
Electron rest mass	m_e	$9.109384 \times 10^{-31} \text{kg}$
Proton rest mass	m_p	$1.672622 \times 10^{-27} \text{kg}$
Neutron rest mass	m_n	$1.674927 \times 10^{-27} \text{kg}$
Speed of light in vacuum	c	$3.00 \times 10^8 \text{ms}^{-1}$
Planck constant	h	$6.63 \times 10^{-34} \text{Js}$
Avogadro constant	N_A	$6.02 \times 10^{23} \text{mol}^{-1}$
Gas constant	R	$8.31 \text{JK}^{-1} \text{mol}^{-1}$
Molar volume of an ideal gas at STP	V_m	$2.27 \times 10^{-2} \text{m}^3 \text{mol}^{-1} = 22.7 \text{dm}^3 \text{mol}^{-1}$
Specific heat capacity of water	c_w	$4.18 \text{kJkg}^{-1} \text{K}^{-1} = 4.18 \text{Jg}^{-1} \text{K}^{-1}$
Ionic product constant for water at 298.15 K	K_w	$1.00 \times 10^{-14} \text{mol}^2 \text{dm}^{-6}$
Faraday constant	F	$9.65 \times 10^4 \text{Cmol}^{-1}$

3. Metric (SI) multipliers

Prefix	Abbreviation	Value
peta	<i>P</i>	10^{15}
tera	<i>T</i>	10^{12}
giga	<i>G</i>	10^9
mega	<i>M</i>	10^6
kilo	<i>k</i>	10^3
hecto	<i>h</i>	10^2
deca	<i>da</i>	10^1
deci	<i>d</i>	10^{-1}
centi	<i>c</i>	10^{-2}
milli	<i>m</i>	10^{-3}
micro	μ	10^{-6}
nano	<i>n</i>	10^{-9}
pico	<i>p</i>	10^{-12}
femto	<i>f</i>	10^{-15}

4. Unit conversions and standard conditions


$$\text{Temperature}(K) = \text{temperature}(^{\circ}C) + 273.15$$

$$1\text{dm}^3 = 1\text{litre} = 1 \times 10^{-3}\text{m}^3 = 1 \times 10^3\text{cm}^3$$

STP conditions: 273.15 K and 100 kPa

SATP conditions: 298.15 K and 100 kPa

5. The electromagnetic spectrum



6. Names of the elements

Element	Symbol	Atomic number
actinium	Ac	89
aluminium	Al	13
americium	Am	95
antimony	Sb	51
argon	Ar	18
arsenic	As	33
astatine	At	85
barium	Ba	56
berkelium	Bk	97
beryllium	Be	4
bismuth	Bi	83
bohrium	Bh	107
boron	B	5
bromine	Br	35
cadmium	Cd	48
caesium	Cs	55
calcium	Ca	20
californium	Cf	98
carbon	C	6
cerium	Ce	58
chlorine	Cl	17
chromium	Cr	24
cobalt	Co	27
copernicium	Cn	112
copper	Cu	29
curium	Cm	96
darmstadtium	Ds	110
dubnium	Db	105

Element	Symbol	Atomic number
dysprosium	Dy	66
einsteinium	Es	99
erbium	Er	68
europium	Eu	63
fermium	Fm	100
flerovium	Fl	114
fluorine	F	9
francium	Fr	87
gadolinium	Gd	64

Element	Symbol	Atomic number
magnesium	Mg	12
manganese	Mn	25
meitnerium	Mt	109
mendelevium	Md	101
mercury	Hg	80
molybdenum	Mo	42
moscovium	Mc	115
neodymium	Nd	60
neon	Ne	10
neptunium	Np	93
nickel	Ni	28
nihonium	Nh	113
niobium	Nb	41
nitrogen	N	7
nobelium	No	102
oganesson	Og	118
osmium	Os	76
oxygen	O	8
palladium	Pd	46
phosphorus	P	15
platinum	Pt	78
plutonium	Pu	94
polonium	Po	84
potassium	K	19
praseodymium	Pr	59
promethium	Pm	61
protactinium	Pa	91
radium	Ra	88
radon	Rn	86
rhenium	Re	75
rhodium	Rh	45

Element	Symbol	Atomic number
roentgenium	Rg	111
rubidium	Rb	37
ruthenium	Ru	44
rutherfordium	Rf	104
samarium	Sm	62
scandium	Sc	21
seaborgium	Sg	106

7. The periodic table

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18						
1	1 H 1.01						Atomic number Element Relative atomic mass												2 He 4.00					
2	3 Li 6.94	4 Be 9.01																	5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
3	11 Na 22.99	12 Mg 24.31																	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
4	19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.87	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.63	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80						
5	37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.96	43 Tc (98)	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.60	53 I 126.90	54 Xe 131.29						
6	55 Cs 132.91	56 Ba 137.33	57 La † 138.91	72 Hf 178.49	73 Ta 180.95	74 W 183.84	75 Re 186.21	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.38	82 Pb 207.20	83 Bi 208.98	84 Po (209)	85 At (210)	86 Rn (222)						
7	87 Fr (223)	88 Ra (226)	89 Ac ‡ (227)	104 Rf (267)	105 Db (268)	106 Sg (269)	107 Bh (270)	108 Hs (269)	109 Mt (278)	110 Ds (281)	111 Rg (281)	112 Cn (285)	113 Nh (286)	114 Fl (289)	115 Mc (288)	116 Lv (293)	117 Ts (294)	118 Og (294)						

↑	58 Ce 140.12	59 Pr 140.91	60 Nd 144.24	61 Pm (145)	62 Sm 150.36	63 Eu 151.96	64 Gd 157.25	65 Tb 158.93	66 Dy 162.50	67 Ho 164.93	68 Er 167.26	69 Tm 168.93	70 Yb 173.05	71 Lu 174.97
↓	90 Th 232.04	91 Pa 231.04	92 U 238.03	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)

8. Melting points and boiling points of the elements at 101.325 kPa

-259.2 H -252.9		Melting point / °C Element Boiling point / °C																He -268.9
180.5 Li 1342	1287 Be 2468											2077 B 4000	3500 C 4827	-210.0 N -195.8	-218.8 O -183.0	-219.7 F -188.1	-248.6 Ne -246.0	
97.79 Na 882.9	650.0 Mg 1090											660.3 Al 2519	1414 Si 3265	44.15 P 280.5	115.2 S 444.6	-101.5 Cl -34.04	-189.3 Ar -185.8	
63.38 K 758.8	842.0 Ca 1484	1541 Sc 2836	1670 Ti 3287	1910 V 3407	1907 Cr 2671	1246 Mn 2061	1538 Fe 2861	1495 Co 2927	1455 Ni 2913	1085 Cu 2560	419.5 Zn 907.0	29.77 Ga 2229	938.2 Ge 2833	816.8 As 613.0	220.8 Se 684.8	-7.050 Br 58.78	-157.4 Kr -153.4	
39.30 Rb 687.8	768.8 Sr 1377	1522 Y 3345	1854 Zr 4406	2477 Nb 4741	2622 Mo 4639	2157 Tc 4262	2333 Ru 4147	1963 Rh 3695	1555 Pd 2963	961.8 Ag 2162	321.1 Cd 766.8	156.6 In 2027	231.9 Sn 2586	630.6 Sb 1587	449.5 Te 987.8	113.7 I 184.4	-111.8 Xe -108.1	
28.44 Cs 670.8	725.0 Ba 1845	920.0 La † 3464	2233 Hf 4600	3017 Ta 5455	3414 W 5555	3453 Re 5900	3033 Os 5008	2446 Ir 4428	1768 Pt 3825	1064 Au 2836	-38.83 Hg 356.6	303.8 Tl 1473	327.5 Pb 1749	271.4 Bi 1564	253.8 Po 962.0	301.8 At 336.8	-71.15 Rn -61.85	
27.00 Fr 676.8	699.8 Ra 1140	1050 Ac ‡ 3200																
† ‡		795 Ce 3433	935 Pr 3510	1024 Nd 3074	1042 Pm (2730)	1072 Sm 1791	826 Eu 1596	1313 Gd 3273	1360 Tb 3230	1410 Dy 2567	1472 Ho 2694	1529 Er 2900	1545 Tm 1950	824 Yb 1194	1663 Lu 3402			
		1750 Th 4788	1572 Pa (4000)	1135 U 3818	637 Np (3900)	640 Pu 3230	1176 Am (2067)	1340 Cm 3110	986 Bk (2623)	900 Cf	(860) Es	Fm	827 Md	No	Lr			

9. First ionization energy, electron affinity and electronegativity of the elements

[illegible]

10. Atomic and ionic radii of the elements

The values for atomic radii used in this table are the covalent radii of the elements.

32 H	Atomic radius / 10⁻¹² m Element Ionic radius / 10⁻¹² m (charge)																37 He						
130 Li 76 (1+)	99 Be 45 (2+)																	84 B 27 (3+)	75 C 16 (4+)	71 N 146 (3-)	64 O 140 (2-)	60 F 133 (1-)	62 Ne
160 Na 102 (1+)	140 Mg 72 (2+)																	124 Al 54 (3+)	114 Si 40 (4+)	109 P 38 (5+)	104 S 184 (2-)	100 Cl 181 (1-)	101 Ar
200 K 138 (1+)	174 Ca 100 (2+)	159 Sc 75 (3+)	148 Ti 86 (2+) 61 (4+)	144 V 79 (2+) 54 (5+)	130 Cr 62 (3+) 44 (6+)	129 Mn 83 (2+) 53 (4+)	124 Fe 61 (2+) 55 (3+)	118 Co 65 (2+) 55 (3+)	117 Ni 69 (2+)	122 Cu 77 (1+) 73 (2+)	120 Zn 74 (2+)	123 Ga 62 (3+)	120 Ge 53 (4+) 272 (4-)	120 As 58 (3+) 46 (5+)	118 Se 198 (2-)	117 Br 196 (1-)	116 Kr						
215 Rb 152 (1+)	190 Sr 118 (2+)	176 Y 90 (3+)	164 Zr 72 (4+)	156 Nb 72 (3+) 64 (5+)	146 Mo 65 (4+)	138 Tc 65 (4+)	136 Ru 68 (3+) 62 (4+)	134 Rh 67 (3+) 60 (4+)	130 Pd 86 (2+) 62 (4+)	136 Ag 115 (1+)	140 Cd 95 (2+)	142 In 80 (+3)	140 Sn 118 (2+) 69 (4+)	140 Sb 76 (3+)	137 Te 221 (2-)	136 I 220 (1-)	136 Xe						
238 Cs 167 (1+)	206 Ba 135 (2+)	194 La † 103 (3+)	164 Hf 71 (4+)	158 Ta 64 (5+)	150 W 66 (4+) 60 (6+)	141 Re 63 (4+) 53 (7+)	136 Os 63 (4+) 55 (6+)	132 Ir 63 (4+)	130 Pt 80 (2+) 63 (4+)	130 Au 137 (1+) 85 (3+)	132 Hg 119 (1+) 102 (2+)	144 Tl 150 (1+) 89 (3+)	145 Pb 119 (2+) 78 (4+)	150 Bi 103 (3+) 76 (5+)	142 Po 97 (4+)	148 At	146 Rn						
242 Fr	211 Ra	201 Ac ‡																					

†	184 Ce 101 (3+) 87 (4+)	190 Pr 99 (3+) 85 (4+)	188 Nd 98 (3+)	186 Pm 97 (3+)	185 Sm 96 (3+)	183 Eu 117 (2+) 95 (3+)	182 Gd 94 (3+)	181 Tb 92 (3+) 76 (4+)	180 Dy 91 (3+)	179 Ho 90 (+3)	177 Er 89 (3+)	177 Tm 88 (3+)	178 Yb 87 (3+)	174 Lu 86 (3+)
	190 Th 94 (4+)	184 Pa 104 (3+) 90 (4+)	183 U 89 (4+) 73 (6+)	180 Np 101 (3+) 87 (4+)	180 Pu 100 (3+) 86 (4+)	173 Am 98 (3+) 85 (4+)	168 Cm 97 (3+)	168 Bk 96 (3+)	168 Cf 95 (3+)	165 Es	167 Fm	173 Md	176 No 110 (2+)	161 Lr

11. Covalent or average covalent bond lengths

Single bonds

Bond	Length / $10^{-12}m$	Bond	Length / $10^{-12}m$	Bond	Length / $10^{-12}m$	Bond	Length / $10^{-12}m$
$H - H$	74	$N - H$	101	$Si - H$	148	$S - H$	135
$H - F$	92	$N - N$	146	$Si - Si$	232	$S - S$	206
$H - Cl$	128	$N - O$	136	$Si - S$	215	$S - F$	156
$H - Br$	141	$N - Si$	174	$Si - F$	156	$S - Cl$	198
$H - I$	160	$N - S$	175	$Si - Cl$	202	$S - Br$	221
		$N - F$	136	$Si - Br$	216		
$C - H$	108	$N - Cl$	197	$Si - I$	243	$F - F$	142
$C - C$	154	$N - Br$	214			$F - Cl$	163
$C - N$	147			$P - H$	142	$F - Br$	178
$C - O$	143	$O - H$	97	$P - P$	221	$F - I$	195
$C - Si$	185	$O - O$	148	$P - S$	210		
$C - P$	184	$O - Si$	163	$P - F$	154	$Cl - Cl$	199
$C - S$	182	$O - P$	154	$P - Cl$	203	$Cl - Br$	232
$C - F$	138	$O - S$	161	$P - Br$	220	$Cl - I$	234
$C - Cl$	177	$O - F$	142	$P - I$	247		
$C - Br$	194	$O - Cl$	170			$Br - Br$	228
$C - I$	214					$Br - I$	247
						$I - I$	267

Multiple bonds

Bond	Length / $10^{-12}m$	Bond	Length / $10^{-12}m$	Bond	Length / $10^{-12}m$
$C = C$	134	$N = N$	125	$O = O$	121
$C = N$	130	$N = O$	114	$O = S$	143
$C = O$	122				
$C = S$	156			$S = S$	189
$C \equiv C$	120	$N \equiv N$	110		
$C \equiv N$	116				
$C \equiv O$	113				

12. Bond enthalpies or average bond enthalpies at 298.15 K

Single bonds

Bond	Enthalpy / kJmol^{-1}	Bond	Enthalpy / kJmol^{-1}	Bond	Enthalpy / kJmol^{-1}	Bond
$H - H$	436	$N - H$	391	$Si - H$	323	$S - H$
$H - F$	567	$N - N$	158	$Si - Si$	226	$S - S$
$H - Cl$	431	$N - O$	214	$Si - S$	293	$S - F$
$H - Br$	366	$N - F$	278	$Si - F$	597	$S - Cl$
$H - I$	298	$N - Cl$	192	$Si - Cl$	400	$S - Br$
				$Si - Br$	330	
$C - H$	414	$O - H$	463	$Si - I$	234	$F - F$
$C - C$	346	$O - O$	144			$F - Cl$
$C - N$	286	$O - Si$	466	$P - H$	322	$F - Br$
$C - O$	358	$O - P$	363	$P - P$	198	$F - I$
$C - Si$	307	$O - F$	191	$P - F$	490	
$C - P$	264	$O - Cl$	206	$P - Cl$	322	$Cl - Cl$
$C - S$	289	$O - Br$	201	$P - Br$	264	$Cl - Br$
$C - F$	492	$O - I$	201	$P - I$	184	$Cl - I$
$C - Cl$	324					
$C - Br$	285					$Br - Br$
$C - I$	228					$Br - I$
						$I - I$

Multiple bonds

Bond	Enthalpy / kJmol^{-1}	Bond	Enthalpy / kJmol^{-1}	Bond	Enthalpy / kJmol^{-1}
$C = C$	614	$N = N$	470	$O = O$	498
$C = N$	615	$N = O$	587	$O = S$	522
$C = O$	804				
$C = S$	536			$S = S$	429
$C \equiv C$	839	$N \equiv N$	945		
$C \equiv N$	890				
$C \equiv O$	1077				

13. Thermodynamic data (selected compounds)

Substance	Formula	State	$\Delta H_f^\ominus / \text{kJ mol}^{-1}$	$\Delta G_f^\ominus / \text{kJ mol}^{-1}$	$S^\ominus / \text{JK}^{-1} \text{mol}^{-1}$
methane	CH_4	g	-74	-50	+186
ethane	C_2H_6	g	-84	-32	+230
propane	C_3H_8	g	-105	-24	+270
butane	C_4H_{10}	g	-126	-17	+310
pentane	C_5H_{12}	l	-173		
hexane	C_6H_{14}	l	-199		
ethene	C_2H_4	g	+52	+68	+220
propene	C_3H_6	g	+20	+62	+267
but-1-ene	C_4H_8	g	+0.1	+71	+306
cis-but-2-ene	C_4H_8	g	-7	+66	+301
trans-but-2-ene	C_4H_8	g	-11	+63	+297
ethyne	C_2H_2	g	+228	+211	+201
propyne	C_3H_4	g	+185	+194	+248
buta-1,3-diene	C_4H_6	g	+110	+151	+279
cyclohexane	C_6H_{12}	l	-156		
benzene	C_6H_6	l	+49	+125	+173
methylbenzene	$\text{C}_6\text{H}_5\text{CH}_3$	l	+12		
ethylbenzene	$\text{C}_6\text{H}_5\text{CH}_2\text{CH}_3$	l	-12		
phenylethene	$\text{C}_6\text{H}_5\text{CHCH}_2$	l	+104		
chloromethane	CH_3Cl	g	-82	-58	+235
dichloromethane	CH_2Cl_2	l	-124		+178
trichloromethane	CHCl_3	l	-134	-74	+202
bromomethane	CH_3Br	g	-36	-26	+246
iodomethane	CH_3I	l	-14		+163
chloroethane	$\text{C}_2\text{H}_5\text{Cl}$	g	-137	-53	
bromoethane	$\text{C}_2\text{H}_5\text{Br}$	l	-90	-26	+199
chlorobenzene	$\text{C}_6\text{H}_5\text{Cl}$	l	+11		
methanol	CH_3OH	l	-239	-167	+127
ethanol	$\text{C}_2\text{H}_5\text{OH}$	l	-278	-175	+161
phenol	$\text{C}_6\text{H}_5\text{OH}$	s	-165		+144
methanal	HCHO	g	-109	-102	+219
ethanal	CH_3CHO	g	-166	-133	+264
propanone	$(\text{CH}_3)_2\text{CO}$	l	-248		+200
methanoic acid	HCOOH	l	-425	-361	+129
ethanoic acid	CH_3COOH	l	-484	-390	+160
benzoic acid	$\text{C}_6\text{H}_5\text{COOH}$	s	-385		+168
methylamine	CH_3NH_2	g	-23	+32	+243
water	H_2O	l	-286	-237	+70


14. Enthalpies of combustion

The values of the molar enthalpy of combustion ($\Delta H_c^\ominus$) in the following table refer to a temperature of 298.15 K and a pressure of 100 kPa .

Substance	Formula	State	$\Delta H_c^\ominus / \text{kJ mol}^{-1}$
hydrogen	H_2	g	-286
sulfur	S	s	-297
carbon (graphite)	C	s	-394
carbon monoxide	CO	g	-283
methane	CH_4	g	-891
ethane	C_2H_6	g	-1561
propane	C_3H_8	g	-2219
butane	C_4H_{10}	g	-2878
pentane	C_5H_{12}	l	-3509
hexane	C_6H_{14}	l	-4163
octane	C_8H_{18}	l	-5470
cyclohexane	C_6H_{12}	l	-3920
ethene	C_2H_4	g	-1411
buta-1,3-diene	C_4H_6	g	-2541
ethyne	C_2H_2	g	-1301
benzene	C_6H_6	l	-3268
methylbenzene	$C_6H_5CH_3$	l	-3910
naphthalene	$C_{10}H_8$	s	-5156
chloroethane	C_2H_5Cl	g	-1413
iodoethane	C_2H_5I	l	-1463
trichloromethane	$CHCl_3$	l	-473
methanol	CH_3OH	l	-726
ethanol	C_2H_5OH	l	-1367


Substance	Formula	State	$\Delta H_c^\ominus / \text{kJ mol}^{-1}$
propan-1-ol	C_3H_7OH	l	-2021
butan-1-ol	C_4H_9OH	l	-2676
cyclohexanol	$C_6H_{11}OH$	s	-3728
phenol	C_6H_5OH	s	-3053
ethoxyethane	$(C_2H_5)_2O$	l	-2724
methanal	HCHO	g	-571
ethanal	CH_3CHO	g	-1167
benzaldehyde	C_6H_5CHO	l	-3525
propanone	$(CH_3)_2CO$	l	-1790
pentan-3-one	$(C_2H_5)_2CO$	l	-3100
phenylethanone	$CH_3COC_6H_5$	l	-4149
methanoic acid	HCOOH	l	-255
ethanoic acid	CH_3COOH	l	-874

15. Colour wheel with wavelengths of the visible spectrum



16. Lattice enthalpies at 298.15 K (experimental values)

The lattice enthalpy values ($\Delta H_{\text{lattice}}^{\ominus}$) in the following tables relate to the endothermic process:



in which the gaseous ions of a crystal are separated to an infinite distance from each other.

The data in these tables are experimental values obtained by means of a suitable Born-Haber cycle.

Alkali metal halides	$\Delta H_{\text{lattice}}^{\ominus} / kJmol^{-1}$			
	F	Cl	Br	I
<i>Li</i>	1049	864	820	764
<i>Na</i>	930	790	754	705
<i>K</i>	829	720	691	650
<i>Rb</i>	795	695	668	632
<i>Cs</i>	759	670	647	613


Other substances	$\Delta H_{\text{lattice}}^{\ominus} / kJmol^{-1}$
<i>CaF₂</i>	2651
<i>BeCl₂</i>	3033
<i>MgCl₂</i>	2540
<i>CaCl₂</i>	2271
<i>SrCl₂</i>	2170
<i>BaCl₂</i>	2069
<i>MgO</i>	3791
<i>CaO</i>	3401

Other substances	$\Delta H_{\text{lattice}}^{\ominus} / kJmol^{-1}$
<i>SrO</i>	3223
<i>BaO</i>	3054
<i>CuCl₂</i>	2824
<i>AgF</i>	974
<i>AgCl</i>	918
<i>AgBr</i>	905
<i>AgI</i>	892

17. Triangular bonding diagram (van Arkel-Ketelaar triangle)

Electronegativity difference:

$$\Delta\chi = |\chi_a - \chi_b|$$



**%
covalent**

**%
ionic**

8	92
25	75
50	50
75	25
100	0

Average electronegativity:

$$\Sigma\chi = \frac{(\chi_a + \chi_b)}{2}$$

18. Acid-base indicators

Colour change				
Indicator	pK_a	pH range	Acid	Alkali
methyl orange	3.7	3.1 – 4.4	red	yellow
bromophenol blue	4.2	3.0 – 4.6	yellow	blue
bromocresol green	4.7	4.0 – 5.6	yellow	blue
methyl red	5.1	4.4 – 6.2	red	yellow
bromothymol blue	7.0	6.0 – 7.6	yellow	blue
phenol red	7.9	6.4 – 8.0	yellow	red
phenolphthalein	9.6	8.0 – 10.0	colourless	pink

19. Standard reduction potentials at 298.15 K

Half-reaction	$E^\ominus / \text{V}$
$\text{Li}^+(\text{aq}) + e^- \rightleftharpoons \text{Li}(\text{s})$	-3.04
$\text{K}^+(\text{aq}) + e^- \rightleftharpoons \text{K}(\text{s})$	-2.93
$\text{Ca}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Ca}(\text{s})$	-2.87
$\text{Na}^+(\text{aq}) + e^- \rightleftharpoons \text{Na}(\text{s})$	-2.71
$\text{Mg}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Mg}(\text{s})$	-2.37
$\text{Al}^{3+}(\text{aq}) + 3e^- \rightleftharpoons \text{Al}(\text{s})$	-1.66
$\text{Mn}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Mn}(\text{s})$	-1.18
$\text{H}_2\text{O}(\text{l}) + e^- \rightleftharpoons \frac{1}{2}\text{H}_2(\text{g}) + \text{OH}^-(\text{aq})$	-0.83
$\text{Zn}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Zn}(\text{s})$	-0.76
$\text{Fe}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Fe}(\text{s})$	-0.45
$\text{Ni}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Ni}(\text{s})$	-0.26
$\text{Sn}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Sn}(\text{s})$	-0.14
$\text{Pb}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Pb}(\text{s})$	-0.13
$\text{H}^+(\text{aq}) + e^- \rightleftharpoons \frac{1}{2}\text{H}_2(\text{g})$	0.00
$\text{Cu}^{2+}(\text{aq}) + e^- \rightleftharpoons \text{Cu}^+(\text{aq})$	+0.15
$\text{SO}_4^{2-}(\text{aq}) + 4\text{H}^+(\text{aq}) + 2e^- \rightleftharpoons \text{H}_2\text{SO}_3(\text{aq}) + \text{H}_2\text{O}(\text{l})$	+0.17
$\text{Cu}^{2+}(\text{aq}) + 2e^- \rightleftharpoons \text{Cu}(\text{s})$	+0.34
$\frac{1}{2}\text{O}_2(\text{g}) + \text{H}_2\text{O}(\text{l}) + 2e^- \rightleftharpoons 2\text{OH}^-(\text{aq})$	+0.40
$\text{Cu}^+(\text{aq}) + e^- \rightleftharpoons \text{Cu}(\text{s})$	+0.52
$\frac{1}{2}\text{I}_2(\text{s}) + e^- \rightleftharpoons \text{I}^-(\text{aq})$	+0.54
$\text{Fe}^{3+}(\text{aq}) + e^- \rightleftharpoons \text{Fe}^{2+}(\text{aq})$	+0.77
$\text{Ag}^+(\text{aq}) + e^- \rightleftharpoons \text{Ag}(\text{s})$	+0.80
$\frac{1}{2}\text{Br}_2(\text{l}) + e^- \rightleftharpoons \text{Br}^-(\text{aq})$	+1.09
$\frac{1}{2}\text{O}_2(\text{g}) + 2\text{H}^+(\text{aq}) + 2e^- \rightleftharpoons \text{H}_2\text{O}(\text{l})$	+1.23
$\text{Cr}_2\text{O}_7^{2-}(\text{aq}) + 14\text{H}^+(\text{aq}) + 6e^- \rightleftharpoons 2\text{Cr}^{3+}(\text{aq}) + 7\text{H}_2\text{O}(\text{l})$	+1.36
$\frac{1}{2}\text{Cl}_2(\text{g}) + e^- \rightleftharpoons \text{Cl}^-(\text{aq})$	+1.36
$\text{MnO}_4^-(\text{aq}) + 8\text{H}^+(\text{aq}) + 5e^- \rightleftharpoons \text{Mn}^{2+}(\text{aq}) + 4\text{H}_2\text{O}(\text{l})$	+1.51
$\frac{1}{2}\text{F}_2(\text{g}) + e^- \rightleftharpoons \text{F}^-(\text{aq})$	+2.87

20. Infrared data

Characteristic ranges for infrared absorption due to stretching vibrations in organic molecules

Bond	Types of organic molecules	Wavenumber / cm^{-1}	Intensity
$C - I$	iodoalkanes	490 – 620	strong
$C - Br$	bromoalkanes	500 – 600	strong
$C - Cl$	chloroalkanes	600 – 800	strong
$C - F$	fluoroalkanes	1000 – 1400	strong
$C - O$	alcohols, esters, ethers	1050 – 1410	strong
$C = C$	alkenes	1620 – 1680	medium-weak; multiple bands
$C = O$	aldehydes, ketones, carboxylic acids and esters	1700 – 1750	strong
$C \equiv C$	alkynes	2100 – 2260	variable
$O - H$	carboxylic acids (with hydrogen bonding)	2500 – 3000	strong, very broad
$C - H$	alkanes, alkenes, arenes	2850 – 3090	strong
$O - H$	alcohols and phenols (with hydrogen bonding)	3200 – 3600	strong, broad
$N - H$	primary amines	3300 – 3500	medium; two bands









21. ^1H NMR data

Typical proton chemical shift values (δ) relative to tetramethylsilane (TMS) R represents an alkyl group, and Hal represents F, Cl, Br or I. These values may vary for different solvents and conditions.

Typical proton chemical shift values (δ) relative to tetramethylsilane (TMS)

R represents an alkyl group, and Hal represents F, Cl, Br or I.

These values may vary for different solvents and conditions.

Type of proton	Chemical shift / ppm
$-\text{CH}_3$	0.9–1.0
$-\text{CH}_2-\text{R}$	1.3–1.4
$-\text{CHR}_2$	1.5
	2.0–2.5
	2.2–2.7
	2.5–3.5
$-\text{C}\equiv\text{C}-\text{H}$	1.8–3.1
$-\text{CH}_2-\text{Hal}$	3.5–4.4
$\text{R}-\text{O}-\text{CH}_2-$	3.3–3.7
	3.7–4.8
	9.0–13.0
$\text{R}-\text{O}-\text{H}$	1.0–6.0
$-\text{CH}=\text{CH}_2$	4.5–6.0
	4.0–12.0
	6.9–9.0
	9.4–10.0

22. Mass spectral fragments lost

Mass lost (M_r)	Possible neutral fragment lost
15	$\bullet CH_3$
17	$\bullet OH$
18	H_2O
28	$CH_2 = CH_2$ CO
29	$\bullet CH_2CH_3$ $\bullet CHO$
31	$\bullet OCH_3$
45	$\bullet COOH$

23. Uncertainties

If: $y = a \pm b$	then: $\Delta y = \Delta a + \Delta b$
If: $y = \frac{ab}{c}$	then: $\frac{\Delta y}{y} = \frac{\Delta a}{a} + \frac{\Delta b}{b} + \frac{\Delta c}{c}$
If: $y = a^n$	then: $\frac{\Delta y}{y} = \left n \frac{\Delta a}{a} \right $